













11.58	11.59	11.60	11.61	11.62	11.63	<b>TA DI PRECISIONE</b> <i>High accuracy CTs</i>  <b>Codice - Code</b> cavo - cable barra - busbar larghezza - width
						
<b>TAC040</b>	<b>TAC051</b>	<b>TAT061</b>	<b>TAT050</b>	<b>TAT063</b>	<b>TAT064</b>	
Ø 32 mm 40 x 10 mm 70 mm	51 x 18 mm 85 mm	Ø 51 mm 61 x 31 mm 90 mm	Ø 50 mm 117 mm	63 x 30 mm 105 mm	Ø 64 mm 64x54 mm 118 mm	

**PRESTAZIONI VA - BURDENS VA**

0,2	0,5S	0,2	0,5S	0,2	0,5S	0,2	0,5S	0,2S	0,2	0,5S	0,2S	0,2	0,5S	0,2S	CI	A	
																	5 A
															10 A		
															15 A		
															20 A		
															25 A		
															30 A		
															40 A		
															50 A		
															60 A		
															80 A		
															100 A		
															120 A		
															150 A		
1	1	1.5	1.5					5		1.5					200 A		
2	2	3	3					5		5					250 A		
2.5	2.5	4	4					5	1	6					300 A		
5	5	6	6					5	2	6	1.5	1.5	3.5		400 A		
8	8	10	10	3	3			5	3	6	3	3	5	3	500 A		
10	10	12	12	4	4			5	5	6	4	4	5	5	5	600 A	
12	12	15	15	6	6						6	6	8	6	6	800 A	
12	12	20	20	10	10						8	8	3	8	8	5	1000 A
		25	25	12	12						10	10	3	10	10	10	1200 A
		30	30	20	20						15	15	5	12	12	10	1500 A
				25	25						18	18	10	15	15	12	2000 A
														20	20	15	2500 A

11.70	11.71	11.72	11.73	11.74	11.75	<b>TA DI PRECISIONE</b> <i>High accuracy CTs</i>  <b>Codice - Code</b> cavo - cable barra - busbar larghezza - width
						
<b>TAT106</b>	<b>TAT127</b>	<b>TAT128</b>	<b>TAT129</b>	<b>TAT165</b>	<b>TAT225</b>	
106 x 76 mm 134 mm	127 x 55 mm 185 mm	127 x 55 mm 185 mm	127 x 85 mm 185 mm	127 x 105 mm 325 mm	255 x 127 mm 385 mm	

**PRESTAZIONI VA - BURDENS VA**

0,2	0,5S	0,2S	0,2	0,5S	0,2S	0,2	0,5S	0,2S	0,2	0,5S	0,2S	0,2	0,5S	0,2S	0,2	0,5S	0,2S	CI	A
																		500 A	
																		600 A	
																		800 A	
1.5			1.5	1.5	3													1000 A	
5	5		3	3	3	5	5	1	5	5	1	5	5	1	5	5	1	1200 A	
5	5		6	6	3													1500 A	
10	10		8	8	5	7.5	7.5	5	7.5	7.5	5	7.5	7.5	5	7.5	7.5	5	2000 A	
10	10	4	10	10	5	10	10	5	10	10	5	10	10	5	10	10	5	2500 A	
12	12	10	15	15	5													3000 A	
15	15	15	20	20	8	20	20	10	20	20	10	20	20	10	20	20	10	4000 A	
20	20	20	25	25	12	30	30	20	30	30	20	30	30	20	30	30	20	5000 A	
			30	30	20	30	30	20	30	30	20	30	30	20	30	30	20	6000 A	
									30	30	20	30	30	20	30	30	20	8000 A	



PROTECTION CTs selection table

Pagina - Page	11.78	11.79	11.80	11.81	11.82	11.83	11.84	11.85	11.86	11.87
TA DI PROTEZIONE Protection CTs										
Codice - Code	TAC005	TAC008	TAC020	TAC071	TAC021	TAC033	TAC040	TAC051	TAT061	TAT050
cavo - cable	primario avvolto - primary wound			Ø 17 mm	Ø 21 mm	Ø 24 mm	Ø 32 mm		Ø 51 mm	Ø 50 mm
barra - busbar				15 x 5 mm	21 x 10 mm	30 x 10 mm	40 x 10 mm	51 x 18 mm	61 x 31 mm	
larghezza - width	56 mm	70 mm	85 mm	70 mm	70 mm	70 mm	70 mm	85 mm	90 mm	117 mm

PRESTAZIONI VA - BURDENS VA

A \ Cl. 5P	5	5	10	5	10	5	10	5	10	5	10	5	5	10	5	5	10	15	20		
5 A	1	2.5	2	6	3																
10 A	1	2.5	2	6	3																
15 A	1	2.5	2	6	3																
20 A	1	2.5	2	6	3																
25 A	1	2.5	2	6	3																
30 A	1	2.5	2	6	3	1															
40 A	1	2.5	2	6	3	1.5															
50 A	1	2.5	2	6	3	2															
60 A	1	2.5	2	6	3	2.5	1			1											
80 A	1	2.5	2	6	3	3.5	1.5			1.5											
100 A	1			6	3	4	1.5	2	0.85	2											
120 A				6	3	5	1.5	3	1	2.5								5	2	1	1
150 A				6	3	6	2	4	1.5	3	1							5	3.5	1.5	1.5
200 A				6	3			5	2	4	1			2				7	5	2.5	2
250 A				6	3			6	2.5	5	1.5			3				8	6	3	2.5
300 A				6	3					6	2			3.5				8.5	7	3.5	3
400 A				6	3					8	2.5	1		4				10	7	4	3.5
500 A				6	3					10	3	1.5		5	1.5			10	9	5	3.5
600 A				6	3					12	4	2		6	2	2		12.5	10	6	2.5
800 A												3		7	2.5	3		12.5	10	7	3
1000 A												3.5		10	2.8	4		15	10	8	3.5
1200 A														12	3.3	5					
1500 A														14	4	6					
2000 A																8					

Pagina - Page	11.88	11.89	11.90	11.91	11.92	11.93	11.94	11.95	11.96	11.97
TA DI PROTEZIONE Protection CTs										
Codice - Code	TAT063	TAT090	TAT082	TAT101	TAT126	TAT127	TAT128	TAT129	TAT165	TAT225
cavo - cable		Ø 90 mm								
barra - busbar	63 x 30 mm		82 x 37 mm	102 x 55 mm	105x38 127x38	127 x 55 mm	127 x 85 mm	127 x 105 mm	165 x 127 mm	225 x 127 mm
larghezza - width	105 mm	147 mm	130 mm	129 mm	98 mm	185 mm	185 mm	185 mm	325 mm	385 mm

PRESTAZIONI VA - BURDENS VA

A \ Cl. 5P	5	10	5	10	5	10	15	5	10	15	5	10	15	20	5	10	15	5	10	15	5	10	15			
400 A	4	1.5			10	5					4	1.5														
500 A	5	1.5			12	6	1.5	3	2		5	1.5														
600 A	6	2	3	1	15	7	2	8	4		6	2														
800 A	8	2.5	5	1.5	20	8	3	12	6	2	8	2.5	25	10	5	2.5										
1000 A	10	3	6.5	2	20	12	4	15	7	3	10	3	30	12	6	3	30	10	5	30	10	5	30	10	5	
1200 A	12	3	8	2.5	25	13	5	15	8	4	12	3	35	15	7	3.5	35	12	6	35	12	6	35	12	6	
1500 A	12	3	9	2.5	40	15	6	15	8	4	12	3	45	16	8	4	40	15	8	40	15	8	40	15	8	
2000 A	12	3	12.5	3	50	15	7	20	10	4	12	3	55	20	10	5	60	20	10	60	20	10	60	20	10	
2500 A			15	3	50	15	7	25	12	6	15	4	75	25	12	6	70	20	10	70	20	10	70	20	10	
3000 A								30	15	7	15	4	90	30	15	6	80	25	12	80	25	12	80	25	12	
4000 A								30	15	7	15	4	120	40	20	8	100	30	15	100	30	15	100	30	15	
5000 A													150	50	25	10	40	15	5	40	15	5	40	15	5	
6000 A																	40	15	5	40	15	5	40	15	5	
8000 A																		40	15	5	40	15	5	40	15	5